

TEST REPORT

Form 50

**(See Rule 160 D(f)) As per the Drugs and Cosmetics act and the rules made there under
(License No.08.10.2015)**

ULR : TC1459125000002572F

Test Report No : CK25-26/0553/L1445

Date : 02-09-2025

Name of Customer	: Kalarivedic Wellness Private Limited
Customer Address	: 235, Binnamangala, 2nd Floor, 13th Cross Road, 2nd Stage, Indira Nagar, Bengaluru-560038,
Manufacturing License no.	: Not Mentioned
Date of Sample Received	: 25-08-2025
Sample Analysis Start Date	: 26-08-2025
Sample Analysis Completion Date	: 31-08-2025
Sample Name	: Kalarivedic Kameshwara Modak
Sample ID	: CK25-26/0553/L1445
Batch No	: KVKM062501
Batch Size	: Not Mentioned
Date of Manufacturing	: 11.06.2025
Date of Expiry	: 11.06.2027
Quantity of Sample Received	: 30 gm X 5 Nos
Sample Drawn By	: The Customer
Sampling Date & Time	: Not Applicable
Temperature at the time of sampling	: Not Applicable
Temperature at the time of receipt in Lab	: Not Applicable
Sampling Procedure	: Not Applicable
Name of Sampling Site	: Not Applicable
Sample Condition	: Received in good condition
Description of the sample	: Dark brown coloured semi solid mass

Sl. No.	Parameters	Unit	Result	Specification	Test Method
Biological Testing : Ayush Product					
1	Pseudomonas aeruginosa	Present or Absent/g	Absent	Absent	API Part 2, Vol 4
2	Salmonella sp.	Present or Absent/g	Absent	Absent	API Part 2, Vol 4
3	Staphylococcus aureus	Present or Absent/g	Absent	Absent	API Part 2, Vol 4

Verified by



Page: 1 of 2

Signature of person-in-charge of testing
KRISHNA PRIYA K
Microbiologist

Note : The test result relate only to the sample tested or sampled by the Laboratory. The report shall not be reproduced except in full, without the written approval of the laboratory. Perishable samples will be stored till end of analysis and non-perishable sample for 15 days.

Address : KINFRA Small Industries Park, Nalukettu Road, Koratty - 680 309, Ph : 0480 2735737, 5837 , E Mail : info@carekeralam.com

Test Report No : CK25-26/0553/L1445

Date : 02-09-2025

Sl. No.	Parameters	Unit	Result	Specification	Test Method
Biological Testing : Ayush Product					
4	Total Plate count for bacteria	CFU/g	47000	10 ⁵	API Part 2, Vol 4
5	Total Yeast and Mold Count	CFU/g	850	10 ³	API Part 2, Vol 4
6	Escherichia coli	Present or Absent/g	Absent	Absent	API Part 2, Vol 4

In the opinion of the undersigned, the sample referred to above is of standard quality as defined in the act or the rules made there under for the reasons given below.

The Sample complies as per AYUSH standard Mark, with respect to the tested parameters.

Total No of Determinants : 6

.....End of Report.....

Verified by



Page:2 of 2

Signature of person-in-charge of testing

KRISHNA PRIYA K
Microbiologist

Note : The test result relate only to the sample tested or sampled by the Laboratory. The report shall not be reproduced except in full, without the written approval of the laboratory. Perishable samples will be stored till end of analysis and non-perishable sample for 15 days.

Address : KINFRA Small Industries Park, Nalukettu Road, Koratty - 680 309, Ph : 0480 2735737, 5837 , E Mail : info@carekeralam.com